



# Texas Water Development Board Groundwater Database Reports



## Cooperator Infrequent Constituent Report

County: Houston

State Well Number	Date	Storet Code	Description	Flag	Value	+ or -
3827801						
	4/24/2002	82612	METOLACHLOR, WHOLE WATER, TOTAL RECOVERABLE, UG/L	<	0.0500	
	4/24/2002	39033	ATRAZINE, TOTAL, UG/L	<	0.0500	
3827802						
	4/24/2002	39033	ATRAZINE, TOTAL, UG/L	<	0.0500	
	4/24/2002	82612	METOLACHLOR, WHOLE WATER, TOTAL RECOVERABLE, UG/L	<	0.0500	
3829701						
	5/8/2006	39033	ATRAZINE, TOTAL, UG/L		0.05	
	5/8/2006	82612	METOLACHLOR, WHOLE WATER, TOTAL RECOVERABLE, UG/L	<	0.05	
3829802						
	4/11/2006	39033	ATRAZINE, TOTAL, UG/L		0.05	
3830502						
	4/25/2002	39033	ATRAZINE, TOTAL, UG/L	<	0.0500	
	4/25/2002	82612	METOLACHLOR, WHOLE WATER, TOTAL RECOVERABLE, UG/L	<	0.0500	
	4/11/2006	39033	ATRAZINE, TOTAL, UG/L		0.05	
3835802						
	6/4/2002	82612	METOLACHLOR, WHOLE WATER, TOTAL RECOVERABLE, UG/L	<	0.0500	
	6/4/2002	39033	ATRAZINE, TOTAL, UG/L	<	0.0500	
3836701						
	4/11/2006	39033	ATRAZINE, TOTAL, UG/L		0.05	
	4/25/2002	39033	ATRAZINE, TOTAL, UG/L	<	0.0500	
	4/25/2002	82612	METOLACHLOR, WHOLE WATER, TOTAL RECOVERABLE, UG/L	<	0.0500	
3838705						

State Well Number	Date	Storet Code	Description	Flag	Value	+ or -
3838706	4/11/2006	39033	ATRAZINE, TOTAL, UG/L		0.05	
	4/23/2002	39033	ATRAZINE, TOTAL, UG/L	<	0.0500	
	4/23/2002	82612	METOLACHLOR, WHOLE WATER, TOTAL RECOVERABLE, UG/L	<	0.0500	
3839305	6/5/2002	39033	ATRAZINE, TOTAL, UG/L	<	0.0500	
	6/5/2002	82612	METOLACHLOR, WHOLE WATER, TOTAL RECOVERABLE, UG/L	<	0.0500	
3844505	4/25/2002	39033	ATRAZINE, TOTAL, UG/L	<	0.0500	
	4/25/2002	82612	METOLACHLOR, WHOLE WATER, TOTAL RECOVERABLE, UG/L	<	0.0500	
	4/11/2006	39033	ATRAZINE, TOTAL, UG/L		0.05	
3844701	4/11/2006	39033	ATRAZINE, TOTAL, UG/L		0.05	
	6/3/2002	82612	METOLACHLOR, WHOLE WATER, TOTAL RECOVERABLE, UG/L	<	0.0500	
	6/3/2002	39033	ATRAZINE, TOTAL, UG/L	<	0.0500	
3845112	6/5/2002	82612	METOLACHLOR, WHOLE WATER, TOTAL RECOVERABLE, UG/L	<	0.0500	
	4/12/2006	39033	ATRAZINE, TOTAL, UG/L		0.05	
	6/5/2002	39033	ATRAZINE, TOTAL, UG/L	<	0.0500	
3846403	6/6/2002	39033	ATRAZINE, TOTAL, UG/L	<	0.0500	
	6/6/2002	82612	METOLACHLOR, WHOLE WATER, TOTAL RECOVERABLE, UG/L	<	0.0500	
3846502	4/25/2002	39033	ATRAZINE, TOTAL, UG/L	<	0.0500	
	4/25/2002	82612	METOLACHLOR, WHOLE WATER, TOTAL RECOVERABLE, UG/L	<	0.0500	
3847204	6/6/2002	39033	ATRAZINE, TOTAL, UG/L	<	0.0500	

State Well Number	Date	Storet Code	Description	Flag	Value	+ or -
3847206	6/6/2002	82612	METOLACHLOR, WHOLE WATER, TOTAL RECOVERABLE, UG/L	<	0.0500	
	4/10/2006	39033	ATRAZINE, TOTAL, UG/L		0.05	
	11/30/2006	00900	HARDNESS, TOTAL (MG/L AS CaCO3)	<	2.49	0
	11/30/2006	00945	SULFATE, TOTAL (MG/L AS SO4)		96	
	11/30/2006	00940	CHLORIDE, TOTAL (MG/L AS CL)		23	
	11/30/2006	00929	SODIUM, TOTAL (MG/L AS NA)		112	0
	11/30/2006	00410	ALKALINITY, TOTAL (MG/L AS CaCO3)		121	
	11/30/2006	00927	MAGNESIUM, TOTAL (MG/L AS MG)	<	1	0
	11/30/2006	00916	CALCIUM, TOTAL (MG/L AS CA)	<	1	0
	11/30/2006	00620	NITRATE NITROGEN, TOTAL (MG/L AS N)	<	0.01	
	11/30/2006	00615	NITRITE NITROGEN, TOTAL (MG/L AS N)	<	0.01	
	11/30/2006	00445	CARBONATE ION (MG/L AS CO3)	<	1	
	11/30/2006	00415	ALKALINITY, PHENOLPHTHALEIN (MG/L)	<	1	
	11/30/2006	01007	BARIUM, TOTAL (UG/L AS BA)		8.6	0
	11/30/2006	00403	PH (STANDARD UNITS) LAB		7.7	
	11/30/2006	01002	ARSENIC, TOTAL (UG/L AS AS)	<	2	0
	11/30/2006	00440	BICARBONATE ION (MG/L AS HCO3)		148	
	11/30/2006	01059	THALLIUM, TOTAL (UG/L AS TL)	<	0.4	0
	11/30/2006	71885	IRON (UG/L AS FE)		109	0
	11/30/2006	70301	SOLIDS, DISSOLVED, SUM OF CONSTITUENTS, MG/L		329	
	11/30/2006	01147	SELENIUM, TOTAL (UG/L)	<	3	0
	11/30/2006	01105	ALUMINUM, TOTAL (UG/L AS AL)	<	20	0
	11/30/2006	01097	ANTIMONY, TOTAL (UG/L AS SB)		1.3	0
	11/30/2006	01092	ZINC, TOTAL (UG/L AS ZN)		11.5	0
	11/30/2006	00951	FLUORIDE, TOTAL (MG/L AS F)	<	0.1	
	11/30/2006	01067	NICKEL, TOTAL (UG/L AS NI)	<	1	0
	11/30/2006	71900	MERCURY, TOTAL (UG/L AS HG)	<	0.4	0
	11/30/2006	01055	MANGANESE, TOTAL (UG/L AS MN)		3	0
	11/30/2006	01051	LEAD, TOTAL (UG/L AS PB)	<	1	0
	11/30/2006	01042	COPPER, TOTAL (UG/L AS CU)		0.0026	0

State Well Number	Date	Storet Code	Description	Flag	Value	+ or -
3853701	11/30/2006	01034	CHROMIUM, TOTAL (UG/L AS CR)	<	10	0
	11/30/2006	01027	CADMIUM, TOTAL (UG/L)	<	1	0
	11/30/2006	01012	BERYLLIUM, TOTAL (UG/L AS BE)	<	0.8	0
	11/30/2006	01077	SILVER, TOTAL (UG/L AS AG)	<	10	0
3854702	6/5/2002	39033	ATRAZINE, TOTAL, UG/L	<	0.0500	
	6/5/2002	82612	METOLACHLOR, WHOLE WATER, TOTAL RECOVERABLE, UG/L	<	0.0500	
3854702	11/9/2004	01097	ANTIMONY, TOTAL (UG/L AS SB)	<	1	
	11/9/2004	01042	COPPER, TOTAL (UG/L AS CU)		0.0032	
	11/9/2004	01051	LEAD, TOTAL (UG/L AS PB)	<	1	
	11/9/2004	01055	MANGANESE, TOTAL (UG/L AS MN)		12.1	
	11/9/2004	01059	THALLIUM, TOTAL (UG/L AS TL)	<	0.4	
	11/9/2004	01067	NICKEL, TOTAL (UG/L AS NI)	<	1	
	11/9/2004	01077	SILVER, TOTAL (UG/L AS AG)	<	10	
	11/9/2004	01092	ZINC, TOTAL (UG/L AS ZN)		7.5	
	11/9/2004	01105	ALUMINUM, TOTAL (UG/L AS AL)	<	20	
	11/9/2004	01147	SELENIUM, TOTAL (UG/L)	<	3	
	11/9/2004	70301	SOLIDS, DISSOLVED, SUM OF CONSTITUENTS, MG/L		553	
	11/9/2004	71885	IRON (UG/L AS FE)		64	
	11/9/2004	71900	MERCURY, TOTAL (UG/L AS HG)	<	0.4	
	11/9/2004	01034	CHROMIUM, TOTAL (UG/L AS CR)	<	10	
	11/9/2004	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		3.34	
	11/9/2004	00929	SODIUM, TOTAL (MG/L AS NA)		198	
	11/9/2004	00403	PH (STANDARD UNITS) LAB		8.4	
	11/9/2004	00410	ALKALINITY, TOTAL (MG/L AS CaCO3)		270	
	11/9/2004	00440	BICARBONATE ION (MG/L AS HCO3)		329	
	11/9/2004	00615	NITRITE NITROGEN, TOTAL (MG/L AS N)	<	0.01	
	11/9/2004	00620	NITRATE NITROGEN, TOTAL (MG/L AS N)	<	0.01	
	11/9/2004	00927	MAGNESIUM, TOTAL (MG/L AS MG)	<	1	
	11/9/2004	00916	CALCIUM, TOTAL (MG/L AS CA)		1.34	

State Well Number	Date	Storet Code	Description	Flag	Value	+ or -
3855101	11/9/2004	01027	CADMIUM, TOTAL (UG/L)	<	1	
	11/9/2004	00940	CHLORIDE, TOTAL (MG/L AS CL)		66	
	11/9/2004	00945	SULFATE, TOTAL (MG/L AS SO4)		79	
	11/9/2004	00951	FLUORIDE, TOTAL (MG/L AS F)		0.3	
	11/9/2004	01002	ARSENIC, TOTAL (UG/L AS AS)	<	2	
	11/9/2004	01007	BARIUM, TOTAL (UG/L AS BA)		16	
	11/9/2004	01012	BERYLLIUM, TOTAL (UG/L AS BE)	<	0.8	
3855101	5/17/2005	39033	ATRAZINE, TOTAL, UG/L	<	0.0500	
	5/17/2005	82612	METOLACHLOR, WHOLE WATER, TOTAL RECOVERABLE, UG/L	<	0.0500	